

X-Payments:Connecting Zen Cart & osCommerce

Contents

- [1 Overview](#)
- [2 System requirements](#)
- [3 Video tutorial](#)
- [4 Installation](#)
- [5 Configuring the Connection to X-Payments](#)

Overview[\[edit\]](#)

This page contains guidelines on how to process payments in ZenCart/osCommerce-based store using [X-Payments](#).

ZenCart can be connected to X-Payments by using X-Payments Connector. This ensures correct implementation of the following tasks:

- Importing the data on active payment methods from X-Payments to ZenCart/osCommerce;
- Transferring cart and customer details from ZenCart/osCommerce into X-Payments;
- Redirecting the customer from ZenCart/osCommerce to X-Payments and back to ZenCart/osCommerce;
- Synchronizing transaction and order details between X-Payments and ZenCart/osCommerce.

System requirements[\[edit\]](#)

Zen Cart? Version: >= v1.3.8 osCommerce Version: >= v2.2

Video tutorial[\[edit\]](#)

Installation[\[edit\]](#)

Download the X-Payments connector:

- for ZenCart at https://drive.google.com/a/x-cart.com/file/d/0B6p7sehSZL8_aUhfOGhmZVRZUFk/view
- for osCommerce at <http://addons.oscommerce.com/info/9415>

Unzip the downloaded archive and follow the readme instructions.

Configuring the Connection to X-Payments[\[edit\]](#)

The following procedure assumes that:

- ◇ You have an X-Payments account created using <https://www.x-payments.com/trial-demo.html>
- ◇ You have completed configuring the connection to your ZenCart/osCommerce store on the X-Payments end.

After configuring the connection in X-Payments, log in to your ZenCart/osCommerce store Admin area and complete the connection.

Follow the steps below:

1. Log in to the ZenCart/osCommerce Admin area.
2. Go to the X-Payments connector settings page (Modules -> Payment -> X-Payments connector).

This will open the X-Payments Connector configuration page.

Secure Credit Card processing (X-Payments) (configured for SecurePay)

Enable X-Payments Module
Do you want to accept XPayments payments?

True
 False

Payment Zone
If a zone is selected, only enable this payment method for that zone.

--none-- ▾

Set Order Status
Set the status of orders made with this payment module to this value

Pending ▾

Sort order of display.
Sort order of display. Lowest is displayed first.

1

Merchant email
Merchant email on X-Payments system

kuzma@cdev.ru

IP addresses for X-Payments callbacks
X-Payments sends callback requests to the store from specific IP addresses. To secure the data transfer and avoid fraudulent requests, specify these IP addresses here as a comma-separated list

192.168.10.254

CONFIGURED
XPAYMENTS IS CONFIGURED FOR

WebXpress
 SecurePay

X-Payments Receive Currency
Which Currency do you want to accept payments in? This should be the same currency as you are set to receive in the X-Payments admin, and uses the three letter currency code.

USD

X-Payments settings bundle
URL of your X-Payments installation (specify the URL beginning with https://). The store will send payment transaction requests to this URL.

YTo1OntzOjg6InN0b3Jl

3. Configure the connection details.

- ◇ **X-Payments configuration bundle:** A string, containing all the required settings details, which is generated in X-Payments back-office.
- ◇ **IP addresses for X-Payments callbacks:** enter IP address of the server where X-Payments is installed. "127.0.0.1" can not be used here. For better understanding what IP address to put here see [Callback from X-Payments to the store.](#)

◇ **Payment currency:** Currency

Click the **Update** button.

4. Select an available payment method.

After all the settings have been configured, click the **Edit** button and select one of the available X-Payments methods.

CONFIGURED
XPAYMENTS IS CONFIGURED FOR

My WebXpress

My Paypal WPPPE Direct Payment

5. Click the **Update** button.